	Application No.	Applicant(s)
Notice of Allowability		KADI NIDOFNI
	10/009,542 Examiner	KARL, JURGEN Art Unit
•		
	N. Bhat	1764
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>arguments and amendments of 12-15-2005</u> .		
2. X The allowed claim(s) is/are 1-9 and 11-13 re-numbered as 1-12.		
3. 🔀 Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ⊠ All b) ☐ Some* c) ☐ None of the:		
1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
		!
	·	
Attachment(s)	5. [] Notice of Informal I	Patent Application (PTO-152)
<ol> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. ☐ Interview Summary	, , , , , , , , , , , , , , , , , , , ,
	Paper No./Mail Da	ate
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/009,542

Art Unit: 1764

1. The following is an examiner's statement of reasons for allowance:

The prior art fails to teach and/or suggest providing an allothermic steam gasification apparatus comprising a pressure supercharged fluidized bed gasification chamber with a pressure tight lock for supplying the feed materials that are to be gasified, a filter chamber connected to the fluidized bed gasification chamber via a connecting channel, an external heat source and heat pipe arrangement that takes up heat from the external heat source and gives of the heat to a gasification bed in the fluidized bed gasification chamber. The prior art does teach providing supercharged or pressurized fluidized bed gasifies such as taught by Forney et al. which was used in the rejection but as pointed out in applicant's arguments there is no need for Forney to use an external heat source for gasification, in Forney the heat is coming from the combustion of the materials taking place in the gasifier, there is no need to use an external heat source or the heat pipe arrangement as claimed. For the same reasons, the prior art's gasifiers do not require the external heat source and heat pipe arrangement in combination with the pressure super charged fluidized bed gasification system as claimed. Applicant's gasification apparatus produces gases with a caloric value of 8,000 to 10,000 KJ/m3 using an efficient apparatus, which has not been taught or suggested either singularly or in combination by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/009,542

Art Unit: 1764

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to N. Bhat whose telephone number is 571-272-1397. The examiner can normally be reached on Monday-Friday, 9:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on 571-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

N. Bhat

Primary Examiner

Art Unit 1764